

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Aerosol Spray Wax (German: Sprühwachs)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Aerosol

##### 1.3. Details of the supplier of the safety data sheet

Company name:	POLYTOP GmbH	
Street:	Langenselbolder Str. 8	
Place:	D-63543 Neuberg	
Telephone:	+49-6183-80014-0	Telefax: +49-6183-80014-14
e-mail (Contact person):	info@polytop.de	
Internet:	www.polytop.de	
Responsible Department:	Zentrale Tel. +49-6183-80014-0	

**1.4. Emergency telephone number:** Vergiftungsinformationszentrale Österreich Tel. +43 (0) 1 406 43 43

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Caution! Container under pressure.

Inhalation causes narcotic effects/intoxication.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50° C. Do not pierce or burn, even after use.

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

**Signal word:** Danger

**Pictograms:**



###### Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

###### Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of this material and its container to hazardous or special waste collection point.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 2 of 9

#### Special labelling of certain mixtures

Operate if possible out of doors or in a well-ventilated place.  
Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.  
Do not open container by force.

#### 2.3. Other hazards

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

EU 648/2004: aliphatic hydrocarbons >30%, non-ionic surfactants <5%, Preservative (Benzisothiazolinone, Methylisothiazolinone, Octylisothiazolinone), perfumes, Additional information: polishing agents, wax, synthetic polymers, silicone oil, thickeners

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
106-97-8	butane			10-30 %
	203-448-7	601-004-00-0		
	Flam. Gas 1; H220			
74-98-6	propane			10-30 %
	200-827-9	601-003-00-5		
	Flam. Gas 1; H220			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)			5-15 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

##### Further Information

Aerosol propellant. Propan/Butan  
The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.  
If victim is at risk of losing consciousness, position and transport on their side.  
Seek medical attention if problems persist.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.  
Take off immediately all contaminated clothing.

##### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Seek medical attention if problems persist.

##### After ingestion

Do NOT induce vomiting.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 3 of 9

Have victim drink large quantities of water, with active charcoal if possible.  
 In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).  
 Data apply to the technical substance.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No known symptoms to date.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

alcohol resistant foam.  
 Extinguishing powder.  
 Carbon dioxide (CO<sub>2</sub>).  
 Sand.

##### **Unsuitable extinguishing media**

Water.  
 High power water jet.  
 Water fog.

#### **5.2. Special hazards arising from the substance or mixture**

Vapours may form explosive mixtures with air.  
 In case of fire may be liberated: Pyrolysis products, toxic.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers.  
 In case of fire and/or explosion do not breathe fumes.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation.  
 Remove all sources of ignition.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
 Suppress gases/vapours/mists with water spray jet.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
 Do not rinse down with water.

#### **6.4. Reference to other sections**

SECTION 13: Disposal considerations

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Use only in well-ventilated areas.  
 Handle and open container with care.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 4 of 9

#### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material.  
 Keep away from sources of ignition. - No smoking.  
 Take precautionary measures against static discharges.  
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50° C. Do not pierce or burn, even after use.

#### Further information on handling

Do not breathe gas/fumes/vapour/spray.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

##### Advice on storage compatibility

No special precautionary measures are necessary.

##### Further information on storage conditions

Protect against: moisture.  
 Do not store at temperatures over: 50°C  
 Keep container tightly closed.  
 Keep away from heat.

#### 7.3. Specific end use(s)

Automotive care products

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Protective and hygiene measures

Caution! Container under pressure.  
 Heating causes rise in pressure with risk of bursting.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated, saturated clothing immediately.  
 Wash hands before breaks and after work.  
 Do not breathe gas/fumes/vapour/spray.  
 Avoid contact with skin and eyes.

##### Eye/face protection

Tightly sealed safety glasses.

##### Hand protection

Tested protective gloves are to be worn:  
 NBR (Nitrile rubber). >0,7mm  
 Breakthrough times and swelling properties of the material must be taken into consideration. >240min

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex). PVC (Polyvinyl chloride). PVA (Polyvinyl alcohol). CR (polychloroprenes, Chloroprene rubber). Viton

##### Skin protection

Body protection: not required.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 5 of 9

#### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.  
Filtering device with filter or ventilator filtering device of type: A/P2

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	not relevant
Odour:	product-specific

#### Test method

pH-Value:	not applicable
-----------	----------------

#### Changes in the physical state

Melting point:	not relevant
Initial boiling point and boiling range:	not relevant
Flash point:	not applicable

#### Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits:	1,5 vol. %
Upper explosion limits:	11 vol. %

#### Oxidizing properties

not oxidizing.

Vapour pressure: (at 20 °C)	3500 hPa
--------------------------------	----------

Density:	not relevant
----------	--------------

Water solubility:	insoluble
-------------------	-----------

Solvent content:	13%
------------------	-----

#### 9.2. Other information

Pressurised container: May burst if heated.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No risks worthy of mention.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

#### 10.4. Conditions to avoid

Caution! Container under pressure.  
Heating causes rise in pressure with risk of bursting.

#### 10.5. Incompatible materials

not relevant

#### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

### SECTION 11: Toxicological information



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 6 of 9

#### 11.1. Information on toxicological effects

##### Acute toxicity

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)			
	oral	LD50 >5000 mg/kg	rat	
	dermal	LD50 >5000 mg/kg	rbt	
	inhalative (4 h) vapour	LC50 >5 mg/l	rat	

##### Irritation and corrosivity

Not an irritant.

## SECTION 12: Ecological information

#### 12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)				
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna	

#### 12.2. Persistence and degradability

Solvent. + Aerosol propellant. : Abiotic degradation in Air

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)			
		80%	28	
	Easily biodegradable (concerning to the criteria of the OECD)			

#### 12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	2,89
74-98-6	propane	2,36

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No risks worthy of mention.

#### Further information

Do not allow to enter into surface water or drains.

Does not enter into waste water by proper application.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 7 of 9

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

200113 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); solvents  
Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2
<b>14.4. Packing group:</b>	-
Hazard label:	2.1



Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D

#### Other applicable information (land transport)

E0

### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2
<b>14.4. Packing group:</b>	-
Hazard label:	2.1



Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 8 of 9

#### Other applicable information (inland waterways transport)

E0

#### Marine transport (IMDG)

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.1



Marine pollutant: no  
 EmS: F-D, S-U

#### Air transport (ICAO)

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS, flammable  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
 Hazard label: 2.1



Special Provisions: A145 A167 A802  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y203  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: 203  
 IATA-max. quantity - Passenger: 75 kg  
 IATA-packing instructions - Cargo: 203  
 IATA-max. quantity - Cargo: 150 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

Pressurised container: May burst if heated.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

2004/42/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 50

#### Additional information

648/2004: chapter 3 chemical characterization (mixture)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Aerosol Spray Wax (German: Sprühwachs)

Print date: 14.03.2016

Page 9 of 9

Water contaminating class (D): 1 - slightly water contaminating

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### **Changes**

This data sheet contains changes from the previous version in section(s): 1,2.

#### **Relevant H and EUH statements (number and full text)**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*